

The Ventana™

FP8032SB Fan



SPECIFICATION SHEET




Product Specifications Subject To Change



VENTANA™

FP8032SB Ceiling Fan



	A	B
Fan w/4.5" downrod	18.38"	10.59"
Fan w/12" downrod	25.88"	18.09"
Fan w/18" downrod	31.88"	24.09"
Fan w/24" downrod	37.88"	30.09"
Fan w/36" downrod	49.88"	42.09"
Fan w/48" downrod	61.88"	54.09"
Fan w/60" downrod	73.88"	66.09"
Fan w/72" downrod	85.88"	78.09"

INSTALLATION REQUIREMENTS:

Ceiling fan attaches to electrical junction box securely anchored and capable of withstanding a load of at least 50 lbs.

ELECTRICAL REQUIREMENTS:

Ceiling fan requires a grounded electrical supply line of 120 volts AC, 60 Hz, 15 amp circuit.

MOTOR SPECS:

172 x 17 motor is designed for optimal performance with this fan.

BLADE SETS:

A set of 5 reversible mahogany/walnut wood blades is included.

CONTROL OPTIONS:

The hand-held remote control (C24) with canopy receiver (RECFP5220) is included. Push button remote control will consist of 3 separate fan speeds, infinite light levels, and off position. Reversing switch located on fan housing. Optional wall control (C25) is available (to be used in conjunction with fan receiver).

LIGHTING OPTIONS:

3-bulb (40 watt max candelabra bulbs - included) downlight fixture with amber tea glass is included with this fan assembly. Maximum downlight wattage not to exceed 120 watts.

DOWNROD OPTIONS:

The Ventana™ fan comes with a 1" Dia. x 4.5" downrod. Optional downrods are available in 12", 18", 24", 36", 48", 60", and 72". For installations requiring a longer downrod, a downrod coupler is available. The Ventana™ fan can be mounted on a sloped ceiling up to 30°. Most sloped ceiling installations require a downrod longer than the standard 4.5" downrod. Optional sloped ceiling ball kits (SCB1-52) are available for up to 52°. Call your local dealer for more information.

LOCATION USE:

Fan is rated for dry locations only.

Available Finish	
SB	Sedona Beige with Amber Tea glass

Airflow / Energy Efficiency Info (120V)					
Fan Speed	Max RPM	CFM	CFM / Watts	Amps	Watts
High	172	5634	75	0.58	75
Med	118	3529	88	0.49	40
Low	60	1496	115	0.28	13



celebrating 25 years

**10983 Bennett Parkway
Zionsville, IN 46077**

Toll Free (888) 567-2055

FAX (866) 482-5215

Outside U.S. call (317) 733-4113

Visit Our Website @ www.fanimation.com

*Copyright 2010 Fanimation, Inc.
All Rights Reserved*



2010/01